F09 Configuration and Accessories

Mold injection Connector (IP68 Factory Assembly Only)



Direct Entry Connector
MJ-09-RGB-D01/02/03
MJ-09-RGB-D01SM
MJ-09-RGB-D02SF
MJ-09-RGB-D03SFM





Side Entry Connector
MJ-09-RGB-S01/02/03
MJ-09-RGB-S01SM
MJ-09-RGB-S02SF
MJ-09-RGB-S03SFM





Bottom Entry Connector
MJ-09-RGB-B01/02/03
MJ-09-RGB-B01SM
MJ-09-RGB-B02SF
MJ-09-RGB-B03SFM





End Cap





Jumper
MJ-09-RGB-D-JC



F09 Configuration and Accessories



DIY Snap Connector
DIY-SN-FR-09-D-01/02-RGB





DIY Snap End Cap
DIY-SN-END-09-D-01/02





DIY Snap Connector Jumper
DIY-SN-EXT-09-RGB





Waterproof Interrupter





Male & Female Connector
SYZ-M8-M-4C-05-W





Male & Female Connector
SYZ-M8-F-4C-05-W



1. Aluminum Channel



Dimension



Installation Way



Surface Mounted



Reccessed







Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC09S01	12.64*21.4	35mm	Φ4.0mm	2	F09, SF09
		1000mm	Φ4.0mm	2	F09, SF09
		2000mm	Φ4.0mm	4	F09, SF09

LED linear Flex Packing Details



Standard: Carton (Paper Reel Inside)

Product	Max.Length	Carton Size	Net Weight	Gross Weight
F15/SF15	30m	34*34*18cm	12kg	13.6kg
F16/SF16	20m	34*34*18cm	8.6kg	10.2kg
F17/SF17	20m	34*34*18cm	8.6kg	10.2kg
F18/SF18	20m	34*34*18cm	8.6kg	10.2kg
F21/SF21	20m	34*34*18cm	10.4kg	12.0kg
F10/SF10	30m	34*34*18cm	9.6kg	11.2kg
F09/SF09	35m	34*34*18cm	5.8kg	7.4kg
F08/SF08	30m	34*34*18cm	7.2kg	8.8kg
F06/SF06	30m	34*34*18cm	7.2kg	8.8kg



Custom: Carton (White Box+ Plastic Plate Inside)

Product	Package 1 Dimension	Length	Gross Weight	Package 2 Dimension	Length	Gross Weight
F15/SF15	38*38*3cm	5m	2.5kg	45*55*3cm	10m	5kg
F16/SF16	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
F17/SF17	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
F18/SF18	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
F21/SF21	38*38*3cm	5m	3.1kg	51*61*4cm	10m	6.2kg
F10/SF10	38*38*3cm	5m	2.0kg	45*55*3cm	10m	4kg
F09/SF09	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg
F08/SF08	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg
F06/SF06	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg

Email: info@olympialed.com
Http://www.olympialed.com