F17 Configuration and Accessories

Mold injection Connector (IP68 Factory Assembly Only)



Direct Entry Connector
MJ-17-A-D01/02/03
MJ-17-A-D01SM
MJ-17-A-D02SF
MJ-17-A-D03SFM





Side Entry Connector
MJ-17-A-S01/02/03
MJ-17-A-S01SM
MJ-17-A-S02SF
MJ-17-A-S03SFM



Bottom Entry Connector
MJ-17-A-B01/02/03
MJ-17-A-B01SM
MJ-17-A-B02SF
MJ-17-A-B03SFM





End Cap





Jumper
MJ-17-A-D-JC



F17 Configuration and Accessories



DIY Snap Connector
DIY-SN-FR-17-D-01/02-A





DIY Snap End Cap
DIY-SN-END-17-D-01/02





DIY Snap Extent Connector
DIY-SN-EXT-17-A





DIY Screw Connector
DIY-SC-FR-17-D-01/02-A





DIY Screw End Cap
DIY-SC-END-16



F17 Configuration and Accessories



DIY Screw Extent Connector
DIY-SC-EXT-16-A





Waterproof Interrupter



Male Connector
M12-M-2C-18AWG-D6-W-0327





Female Connector
M12-F-2C-18AWG-D6-W-0327





Middle Power Connector (1 to 2)
MID-CNR-A-1T2





Middle Power Connector (2 to 2)
MID-CNR-A-2T2





Male Connector End Cap
SYZ-EC-M12-M





Female Connector End Cap
SYZ-EC-M12-F-2C



LED Linear Flex Mounting Channel

1. Aluminum Channel



Dimension



Unit:mm

Installation Way









Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC16S02-035	20.40*19.60	35mm	Φ4.0mm	2	F17, SF17
ALC16S02-100		1000mm	⬭4.0mm	2	F17, SF17
ALC16S02-200		2000mm	⬭4.0mm	4	F17, SF17



Dimension



Unit:mm

Installation Way



Splice Accessories





Splice Accessories: ALC16S08-SP





Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC16S08-035	22.00*20.80	35mm	Φ4.0mm	2	F17, SF17
ALC16S08-100		1000mm	⬭4.0mm	2	F17, SF17
ALC16S08-200		2000mm	⬭4.0mm	4	F17, SF17

Lighting OLYMPIA

Email: info@olympialed.com
Http://www.olympialed.com

LED Linear Flex Mounting Channel

Dimension



Installation Way



Recessed







Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC16S07-035	22.0*22.8	35mm	Φ4.0mm	2	F17, SF17
ALC16S07-100		1000mm	⬭4.0mm	2	F17, SF17
ALC16S07-200		2000mm	⬭4.0mm	4	F17, SF17

Dimension



Installation Way



Surface Mounted



Recessed







Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
ALC16H02-035	22.00*33.90	35mm	Φ4.0mm	2	F17, SF17
ALC16H02-100		1000mm	⬭4.0mm	2	F17, SF17
ALC16H02-200		2000mm	⬭4.0mm	4	F17, SF17

Lighting OLYMPIA

Email: info@olympialed.com
Http://www.olympialed.com

2. Flexible Aluminum Channel



ALC17S02FLX

Dimension



Unit:mm

Installation Way



Surface Mounted





Model	W x H(mm)	Standard Length	Suitable Product
ALC17S02FLX-05	20.4*19.60	500mm	F17, SF17
ALC17S02FLX-10		1000mm	F17, SF1 7

3. Plastic Channel

PC16/17S02-T

Dimension



Unit:mm

Installation Way



Surface Mounted



Recessed







Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
PC16/17S02-T-100	23.53*22.90	1000mm	Φ4.0mm	2	F17, SF17

LED Linear Flex Mounting Channel

SJJ-ZSH-008-PC

Dimension



Unit:mm

Installation Way



Surface Mounted



Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
SJJ-ZSH-008-PC	23.3*28.7	30mm	Φ4.40mm	2	F17, SF17

4. Stainless Steel Channel

SSC16S01

Dimension



Unit:mm

Installation Way



Surface Mounted



Recessed



Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
SSC16S01-05	19.35*20.03	50mm	Φ4.0mm	2	F17, SF17

LED Linear Flex Mounting Channel



Dimension



Installation Way





Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
SSC16S02-100	18.60*20.3	1000mm	4.0x10mm	2	F17, SF17

Dimension



Installation Way





Model	W x H(mm)	Standard Length	Screw Holes	Holes Numbers	Suitable Product
SSC16H01-100	18.45*33.26	1000mm	4.0x10mm	2	F17, SF17

Lighting OLYMPIA

Email: info@olympialed.com
Http://www.olympialed.com

LED Linear Flex Mounting Channel



SSC16FLX

Dimension



Unit:mm

Installation Way



Surface Mounted



Model	W x H(mm)	Standard Length	Suitable Product
SSC16FLX01	18.00*21.80	100mm	F17, SF17
SSC16FLX03		300mm	F17, SF17
SSC16FLX05		500mm	F17, SF17
SSC16FLX10		1000mm	F17, SF17

Lighting OLYMPIA

Email: info@olympialed.com
Http://www.olympialed.com

LED linear Flex Packing Details



Standard: Carton (Paper Reel Inside)

Product	Max.Length	Carton Size	Net Weight	Gross Weight
F15/SF15	30m	34*34*18cm	12kg	13.6kg
F16/SF16	20m	34*34*18cm	8.6kg	10.2kg
F17/SF17	20m	34*34*18cm	8.6kg	10.2kg
SF18	20m	34*34*18cm	8.6kg	10.2kg
F21/SF21	20m	34*34*18cm	10.4kg	12.0kg
SF10	30m	34*34*18cm	9.6kg	11.2kg
SF09	35m	34*34*18cm	5.8kg	7.4kg
SF08	30m	34*34*18cm	7.2kg	8.8kg
SF06	30m	34*34*18cm	7.2kg	8.8kg

Custom: Carton (White Box+ Plastic Plate Inside)

Product	Package 1 Dimension	Length	Gross Weight	Package 2 Dimension	Length	Gross Weight
F15/SF15	38*38*3cm	5m	2.5kg	45*55*3cm	10m	5kg
F16/SF16	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
F17/SF17	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
SF18	38*38*3cm	5m	2.6kg	51*61*4cm	10m	5.2kg
F21/SF21	38*38*3cm	5m	3.1kg	51*61*4cm	10m	6.2kg
SF10	38*38*3cm	5m	2.0kg	45*55*3cm	10m	4kg
SF09	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg
SF08	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg
SF06	38*38*3cm	5m	1.5kg	45*55*3cm	10m	3kg

Email: info@olympialed.com
Http://www.olympialed.com