

LT-3063-3A LED CV Power Repeater (Waterproof)





LED Power Repeater is suitable for all of our company's power-output style controllers' power expansion, it accepts PWM control, the control quantity of LED lights would be twice as much by adding one more power repeater, unlimited quantity of power repeater to be connected theoretically.

1. Technical Specs:


LT-3063-3A LED CV Power Repeater

Input Voltage:	5~24Vdc	Working Temperature:	-30°C~55°C
Max Current Load:	3A × 3CH Max. 9A	Dimensions:	L181×W35×H28(mm)
Max Output Power:	(0~15W...72W) × 3CH Max. 216W	Package Size:	L213×W44×H38(mm)
Waterproof Level:	IP68	Weight(G.W.):	235g

2. Product Size:




3. Terminal Description:



4. Wiring Diagram:

12V lamp connected, loads 0~108W(12V);
 24V lamp connected, loads 0~216W(24V).



LT-3063-3A LED恒压功率扩展器





LED功率扩展器适用于我公司所有功率型LED控制器的功率放大，功率扩展器可接受PWM (脉宽调制) 控制，每增加一个功率扩展器就可以多连接1倍或3倍的LED灯数量，理论上可以连接无限多个功率扩展器。

1. 性能参数:


LT-3063-3A LED 恒压功率扩展器

输入电压:	5~24Vdc	工作温度:	-30℃~55℃
最大负载电流:	3A × 3路 Max. 9A	产品尺寸:	L181×W35×H28(mm)
最大输出功率:	(0~15W...72W) × 3路 Max. 216W	包装尺寸:	L213×W44×H38(mm)
防水等级:	IP68	重量(净重):	235克

2. 产品尺寸:



3. 终端描述:



4. 接线图:

连接12V灯具, 负载0~108W(12V);
 连接24V灯具, 负载0~216W(24V).

